

Analysis  
Supplementary problems  
Fourier series

**Exercise 1.** Provide the graph of the following functions:

1. Periode of  $f$  is  $T = 2\pi$

$$f(x) = \begin{cases} \sin x, & 0 \leq x \leq \pi \\ 0, & \pi < x < 2\pi. \end{cases} \quad [1]$$

2. Periode of  $f$  is  $T = 4$

$$f(x) = \begin{cases} -2, & -2 \leq x \leq 0 \\ 1, & 0 \leq x < 2. \end{cases} \quad [2]$$

3. Periode of  $f$  is  $T = \pi$

$$f(x) = \operatorname{tg}(x), \quad -\frac{\pi}{2} \leq x \leq \frac{\pi}{2}. \quad [3]$$

**Exercise 2.** Let  $f$  be the following function of periode  $T = 10$ :

$$f(x) = \begin{cases} 0, & -5 \leq x \leq 0 \\ 3, & 0 < x < 5. \end{cases} \quad [4]$$

1. Provide the graph of  $f(x)$ ,
2. Compute the Fourier serie of deduce an entier serie of  $f(x)$
3. Use Jordan's Theorem to study the convergence of the Fourier serie.
4. How to chose the values of  $f$  in  $\{10k, 5 + 10k; k \in \mathbb{Z}\}$  such that Fourier serie corresponding to the new function converges to this new function.

**Exercise 3.** Let  $f(x)$  be a periodic function of periode  $T = 2\pi$  and

$$f(x) = x^2 - \pi^2, \quad x \in [-\pi, \pi[ \quad [5]$$

1. For which  $x$ ,  $f$  can be represented by a Fourier serie
2. Compute the Fourier serie of  $f(x)$
3. Use Parseval equality to compute the sum  $\sum_{n=1}^{\infty} \frac{1}{n^4}$

**Exercise 4.** Let  $f(x)$  be the function defined by

$$f(x) = 1, \quad x \in [0, \pi[. \quad [6]$$

1. How to chose  $f(x)$  such that Fourier serie of  $f(x)$  contains only  $\sin x$ ,
2. compute this Fourier serie.