An upper bound for the number of palindromic length profiles of binary words

A. Frid (with J. Scanvic)

September 5, 2022

A. Frid (with J. Scanvic)

An upper bound for the number of palindromic len

September 5, 2022 1/21

The palindromic length PL(u) is the minimal number of concatenated palindromes needed to express the word u.

$$abbaba = (abba) (b) (a) = (a) (bb) (aba)$$

 $PL(abbaba) = 3$

The palindromic length PL(u) is the minimal number of concatenated palindromes needed to express the word u.

$$abbaba = (abba) (b) (a) = (a) (bb) (aba)$$

 $PL(abbaba) = 3$

The prefix palindromic length $PPL_{\mathbf{u}}(n)$ of an infinite word \mathbf{u} is the palindromic length of the prefix of length *n* of \mathbf{u} .

ヘロト ヘ戸ト ヘヨト ヘヨト

 $\mathbf{t} = abbabaabba \cdots$



э

 $\mathbf{t} = abbabaabba \cdots$



Lemma (Saarela 2017)

 $PPL_t(n+1) - PPL_t(n) \in \{-1, 0, 1\}$

we denote it by $\{-, 0, +\}$

3

< ロ > < 同 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ >

What is known on the prefix palindromic length?

Very little.

< ロ > < 同 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ >

What is known on the prefix palindromic length?

Very little.

Not much.

э

• • • • • • • • • • • • • •

Conjecture (F., Puzynina, Zamboni, 2013)

For every non ultimately periodic word **u**, the function $PPL_{\mathbf{u}}(n)$ is unbounded.

> < = > < = >

4 D b 4 A

Conjecture (F., Puzynina, Zamboni, 2013)

For every non ultimately periodic word **u**, the function $PPL_{\mathbf{u}}(n)$ is unbounded.

Proven for *u* avoiding some power *k*, that is, words $v^k = \underbrace{v \cdots v}_k$ (2013).

Conjecture (F., Puzynina, Zamboni, 2013)

For every non ultimately periodic word **u**, the function $PPL_{\mathbf{u}}(n)$ is unbounded.

Proven for *u* avoiding some power *k*, that is, words $v^k = \underbrace{v \cdots v}_k$ (2013).

The proof is not constructive. The number of palindromes starting at the same point is logarithmical.



Conjecture (F., Puzynina, Zamboni, 2013)

For every non ultimately periodic word **u**, the function $PPL_{\mathbf{u}}(n)$ is unbounded.

The conjecture is also proven

• For all morphic words ([FPZ 2013] + [Klouda, Starosta, 2015])

Conjecture (F., Puzynina, Zamboni, 2013)

For every non ultimately periodic word **u**, the function $PPL_{\mathbf{u}}(n)$ is unbounded.

The conjecture is also proven

- For all morphic words ([FPZ 2013] + [Klouda, Starosta, 2015])
- In the greedy versions [Bucci, Richomme 2018]

Conjecture (F., Puzynina, Zamboni, 2013)

For every non ultimately periodic word **u**, the function $PPL_{\mathbf{u}}(n)$ is unbounded.

The conjecture is also proven

- For all morphic words ([FPZ 2013] + [Klouda, Starosta, 2015])
- In the greedy versions [Bucci, Richomme 2018]
- For all Sturmian words [F. 2018]

Conjecture (F., Puzynina, Zamboni, 2013)

For every non ultimately periodic word **u**, the function $PPL_{\mathbf{u}}(n)$ is unbounded.

So, the conjecture holds for *almost all* infinite words, and the remaining cases are like this.



What about known words?

It is easier to find a decomposition to few palindromes than to prove it does not exist.

4 D b 4 A

► < Ξ > <</p>

What about known words?

It is easier to find a decomposition to few palindromes than to prove it does not exist.

Upper bounds : F. 2017 - Fibonacci word; Ambrož, Kadlec, Masáková, Pelantová, 2019: morphic words from class $\mathcal P$

What about known words?

It is easier to find a decomposition to few palindromes than to prove it does not exist.

Upper bounds : F. 2017 - Fibonacci word; Ambrož, Kadlec, Masáková, Pelantová, 2019: morphic words from class *P*

Lower bounds: F. 2019; Shuo LI 2020 - for some Toeplitz words including the period doubling word.

Thue-Morse word

$$\sigma: \begin{cases} a \to abba, \\ b \to baab. \end{cases}$$

 $\mathbf{t} = \sigma(\mathbf{t}) = abba \ baab \ baab \ baab \ baab \ baab \ abba \ baab$

3

<ロト < 四ト < 三ト < 三ト

Thue-Morse word

$$\sigma: \begin{cases} a \to abba, \\ b \to baab. \end{cases}$$

 $\mathbf{t} = \sigma(\mathbf{t}) = abba \ baab \ baab \ abba \ baab \ abba \ baab$



э

• • • • • • • • • • • • •

Morphism for first differences

$$d_{\mathbf{t}}(n) = PPL_{\mathbf{t}}(n+1) - PPL_{\mathbf{t}}(n) \in \{-, 0, +\}$$

3

<ロト < 四ト < 三ト < 三ト

Morphism for first differences

$$d_{\mathbf{t}}(n) = PPL_{\mathbf{t}}(n+1) - PPL_{\mathbf{t}}(n) \in \{-, 0, +\}$$

Proposition

The sequence $(d_t(n))$ is the fixed point $++0-++0-++-\cdots$ of the morphism

$$\delta: \begin{cases} - \to +0 - - \cdot \\ 0 \to + + - - \cdot \\ + \to + +0 - \cdot \end{cases}$$

A. Frid (with J. Scanvic)

An upper bound for the number of palindromic len

September 5, 2022 10/21

Other sequences

• Analogous but much bulkier constructions exists for the paperfolding word, the Rudin-Shapiro word (F., Laborde, Peltomäki, 2021) and for the Sierpinski word (Bulgakova, F., Scanvic, 2022).

< ロ > < 同 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ >

Other sequences

- Analogous but much bulkier constructions exists for the paperfolding word, the Rudin-Shapiro word (F., Laborde, Peltomäki, 2021) and for the Sierpinski word (Bulgakova, F., Scanvic, 2022).
- but NOT for the period-doubling word nor for the Fibonacci word.

ヘロト ヘ戸ト ヘヨト ヘヨト

Other sequences

- Analogous but much bulkier constructions exists for the paperfolding word, the Rudin-Shapiro word (F., Laborde, Peltomäki, 2021) and for the Sierpinski word (Bulgakova, F., Scanvic, 2022).
- but NOT for the period-doubling word nor for the Fibonacci word.

Conjecture

The PPL-difference sequence of a *k*-automatic word containing an infinite number of palindromes is NOT obliged to be *k*-automatic.

$\mathbf{u} = abbabaabba \cdots$



3

イロト イポト イヨト イヨト

 $\mathbf{u} = abbabaabba \cdots$



• $d_{\mathbf{u}}$ starts with +;

< ロ > < 同 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ >

$\mathbf{u} = abbabaabba \cdots$



- $d_{\mathbf{u}}$ starts with +;
- every prefix contains more +s than -s.

-

$\mathbf{u} = abbabaabba \cdots$



- $d_{\mathbf{u}}$ starts with +;
- every prefix contains more +s than -s.
- any more restrictions?..

How many possible profiles?

The OEIS is supported by the many generous donors to the OEIS Foundation.

OLIGE THE ON-LINE ENCYCLOPEDIA

founded in 1964 by N. J. A. Sloane

Search Hints

< ロ > < 同 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ >

(Greetings from The On-Line Encyclopedia of Integer Sequences!)

A340314 Number of different possible profiles of palindromic length for prefixes of sequences of length n, over an arbitrary (unbounded) alphabet.

1, 2, 5, 11, 27, 63, 155, 376, 922, 2245, 5506 (list; graph; refs; listen; history; text; internal format)

OFFSET 1,2

- COMMENTS The palindromic length of a sequence is the minimum number of terms needed to write it as a concatenation of palindromes. For example, 011010 has palindromic length 3, as it can be written as (0110)(1)(0) or (0)(11)(010), but there is no way to write it as the concatenation of two palindromes. The profile is the list of palindromic lengths of all
 - profixes. For 011010 it is (1,2,2,1,2,3). This sequence counts the distinct profiles, over all length-n sequences over an arbitrary (unbounded) alphabet.

How many possible profiles? for binary **u**

The OEIS is supported by the many generous donors to the OEIS Foundation.

⁰¹³⁶²⁷ THE ON-LINE ENCYCLOPEDIA COE 10 23 IS 12 OF INTEGER SEQUENCES ®

founded in 1964 by N. J. A. Sloane

Search Hints

< ロ > < 同 > < 三 > < 三 >

(Greetings from The On-Line Encyclopedia of Integer Sequences!)

A340311 Number of different possible profiles of palindromic length for prefixes of binary sequences of length n.	1
1, 2, 4, 6, 10, 17, 32, 61, 117, 218, 424, 795, 1533, 2922, 5590, 10720, 20592, 39564, 76082, 146591, 282059, 544377, 1049753, 2026788, 3912391, 7559884 (<u>list; graph; refs; listen; history; text; internal format</u>)	
OFFSET 1,2	
COMMENTS The palindromic length of a sequence is the minimum number of terms needed to write it as a concatenation of palindromes. For example, 011010 has palindromic length 3, as it can be written as (0110)(1)(0) or (0)(11)(010), but there is no way to write it as the concatenation of two palindromes. The profile is the list of palindromic lengths of all prefixes. For 011010 it is (1,2,2,1,2,3). This sequence counts the distinct profiles.	

How many possible factors?

Attention, we study another problem: In total, how many *factors* appear in $d_{\mathbf{u}}$ for any *binary* \mathbf{u} ?

< ロ > < 同 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ >

How many possible factors?

Attention, we study another problem: In total, how many *factors* appear in $d_{\mathbf{u}}$ for any *binary* \mathbf{u} ?

In fact, we do not have a nice term for the set we study, but let us call it D_2 .

ヘロト ヘ戸ト ヘヨト ヘヨト

How many possible factors?

Attention, we study another problem: In total, how many *factors* appear in $d_{\mathbf{u}}$ for any *binary* \mathbf{u} ?

In fact, we do not have a nice term for the set we study, but let us call it D_2 .

Lemma

 $+++ \notin D_2.$

Condition on factors

Lemma

If a factor $v = v_1 \cdots v_m$ appears in $d_{\mathbf{u}}$, and if it corresponds to a factor $w_1 \cdots w_m$ of \mathbf{u} , then

$$\left|\sum_{i=1}^m v_i\right| \leq PL(w_1\cdots w_m).$$

4 D b 4 A b

- ∃ →

Condition on factors

Lemma

If a factor $v = v_1 \cdots v_m$ appears in $d_{\mathbf{u}}$, and if it corresponds to a factor $w_1 \cdots w_m$ of \mathbf{u} , then

$$\left|\sum_{i=1}^m v_i\right| \leq PL(w_1\cdots w_m).$$

Theorem (Ravski, 2003)

For every binary word $w = w_1 \cdots w_m$ we have $PL(w) \le K(m)$, where K(11) = 5 and for $n \ne 11$, $K(n) = \left\lfloor \frac{n}{6} \right\rfloor + \left\lfloor \frac{n+4}{6} \right\rfloor + 1$.

List of forbidden factors

Theorem

The list of factors which do not appear in any d_u for a binary word u contains the languages

$$\begin{array}{c} ++0^{*}+,\\ +0^{*}++,\\ --0^{*}-,\\ -0^{*}--,\\ \end{array}$$
 and
$$S_{5}=\{+0+0+,-0-0-,++-++,--+--\}.$$

Growth

Corollary

The language D_2 grows at most as $O(\rho^n)$, where $\rho = 2.63 \cdots$.

A. Frid (with J. Scanvic)

An upper bound for the number of palindromic len

September 5, 2022 18/21

3

(日)

Growth

Corollary

The language D_2 grows at most as $O(\rho^n)$, where $\rho = 2.63 \cdots$.

The list of found forbidden factors is a regular language \rightarrow we construct an automaton accepting all words not containing them.

< ロ > < 同 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ >

Other forbidden factors? Not clear

Sometimes we need a really long prefix to get a needed factor:

Continuations by k zeros

+	aa^k
-	aa^k bbabb a^k
++	abb^k
+-	aa^k bbabb a^k
0+	aa(ba)^k
0 -	aa^k babbab a^k
-+	abaaa^k
	Х
++-	aa^k babaaaaabab a^k
+0+	aa(ba)^k
+0-	aa^k babbab a^k
+-+	abaaa^k
+	Х
0++	aababaaababbaa^k
0+-	aa^k bbabb a^k
00+	aaab(aab)^k
00-	aa^k babbbab a^k
0-+	abbaaa^k
0	Х
-++	abbabaa^k
-+-	?
-0+	aabbabbab(ab)^k
-0-	X
+	ababbabaaa^k

2

イロト (四) (目) (目)

Final conjecture

Conjecture

All the minimal forbidden factors of the language D_2 are described in the previous theorem:

$$+ + 0^* +, + 0^* + +, - - 0^* -, -0^* - -,$$

and
$$S_5 = \{+0 + 0 +, -0 - 0 -, + + - + +, - - + - -\}.$$

Final conjecture

Conjecture

and

All the minimal forbidden factors of the language D_2 are described in the previous theorem:

$$+ + 0^{*} +, + 0^{*} + +, - - 0^{*} -, -0^{*} - -,$$

$$S_{5} = \{+0 + 0 +, -0 - 0 -, + + - + +, - - + - -\}.$$

Larger alphabets? We know nothing.