Deep learning and Inverse Problems Introduction to Hands-on session

Daniel Otero Baguer, Peter Maass

Center for Industrial Mathematics (ZeTeM) University of Bremen

> Marseille 14-15.11.2019



 $1 \, / \, 11$

Neural Networks




Figure: Shallow Neural Network

Neural Networks




Figure: Structure of a single neuron



- Five decades of research in machine learning
- CPUs/GPUs/storage developed for other purposes
- Lots of data from the internet
- Imagenet



- Five decades of research in machine learning
- CPUs/GPUs/storage developed for other purposes
- Lots of data from the internet
- Imagenet



- Five decades of research in machine learning
- CPUs/GPUs/storage developed for other purposes
- Lots of data from the internet
- Imagenet




- Five decades of research in machine learning
- CPUs/GPUs/storage developed for other purposes
- Lots of data from the internet
- Imagenet





Why Deep Learning?



Why Deep Learning?

Resources and efforts from large corporations make it easier!



Why Deep Learning?

Resources and efforts from large corporations make it easier!



Tensors






Figure: Tensors ¹


 ${}^{1}{\sf Image \ source: \ https://towardsdatascience.com/understanding-pytorch-with-an-example-a-step-by-step-tutoria}$





































































Convolutional Neural Network











Google Colab

